

# RG-RAP2260(H) REYEE Wi-Fi 6 AX6000 High-density Multi-G Ceiling Access Point



**Kode** : RG-RAP2260(H)

**Brand** : Ruijie - Reyee

**Jenis** : Wireless Indoor

**Harga** : Rp 2.800.000,00

RG-RAP2260(H) Ruijie Reyee Wi-Fi 6 AX6000 High-density Multi-G Ceiling Access Point.

**\*Belum termasuk adaptor dan poe injector.**

**\*Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

Penawaran Harga Spesial

 **08112039555**

- Build ultra-fast and high-density Wi-Fi with 5.95Gbps throughput.
- Client connections over 500, higher practical performance as well.
- Boost Internet speed with 5Gbps uplink for the future.
- Easily install extra AP with Reyee Mesh Technology.
- Support standalone captive portal, easy to enable Wi-Fi authentication.


**Specification**

<b>Model</b>	RG-RAP2260(H)
<b>Protocol</b>	Wi-Fi 6 (IEEE 802.11ax) Wi-Fi 5 (IEEE 802.11ac Wave 2) Wi-Fi 4(IEEE 802.11n) 802.11a/b/g
<b>Operating Bands</b>	802.11b/g/n/ax : 2.400 GHz - 2.4835 GHz 802.11a/n/ac/ax : 5 GHz: 5.150 GHz - 5.350 GHz, 5.470 GHz - 5.725 GHz, 5.725 GHz - 5.850 GHz (country specific)
<b>Antenna</b>	Built-in Omnidirectional Antennas (2.4 GHz: 3dBi, 5 GHz: 4dBi)
<b>Recommended Wi-Fi Coverage Radius</b>	2.4GHz: 40 meters 5GHz: 70 meters The Wi-Fi coverage is related to the installation environment of the access point.
<b>Spatial Streams</b>	2.4 GHz: 4x4 MU-MIMO 5 GHz: 4x4 MU-MIMO
<b>Max Throughput</b>	Up to 1148 Mbps at 2.4 GHz Up to 4804 Mbps at 5 GHz

<b>Service Ports</b>	2 x100/1000/2500 Base-T port 1x DC port 1x Reset button
<b>Power Supply</b>	IEEE 802.3bt PoE DC 48V/1A
<b>Power Consumption</b>	≤ 40 W
<b>Operating temperature</b>	0°C - 40°C
<b>Storage temperature</b>	-40°C - 70°C
<b>MTBF</b>	>400000H
<b>Maximum number of clients</b>	512
<b>Recommended number of clients</b>	130
<b>Maximum Number of SSIDs</b>	8

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1015/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**