

# AC PRO UNIFI UBIQUITI Dual Band WiFi 5 Access Point

**Kode** : UAP-AC-PRO

**Brand** : Ubiquiti

**Jenis** : Wireless Indoor

**Harga** : Rp 2.737.000,00



Sporting a weatherproof design, the UniFi AC Pro AP features simultaneous, dual band, with 3x3 MIMO in the 2.4 GHz band and 3x3 MIMO in the 5 GHz band and convenient 802.3af PoE/802.3at PoE+ compatibility.

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 08112039555



\*48V DC, 0.5A GbE PoE adapter included with single unit purchases.

**Specification**

<b>Model</b>	UAP-AC-PRO
<b>WiFi Standard</b>	WiFi 5
<b>Spatial Streams</b>	6
<b>Coverage Area</b>	140 m <sup>2</sup> (1,500 ft <sup>2</sup> )
<b>Max. Client Count</b>	250+
<b>Mounting</b>	Ceiling, Wall (Pro Mount Supported)
<b>Power Method</b>	PoE
<b>MIMO</b>	5 GHz : 3 x 3 (DL MU-MIMO) 2.4 GHz : 3 x 3 (DL MU-MIMO)
<b>Max. Data Rate</b>	5 GHz : 1.3 Gbps (BW80) 2.4 GHz : 450 Mbps (BW40)
<b>Antenna Gain</b>	5 GHz : 3 dBi 2.4 GHz : 3 dBi
<b>Max. TX Power</b>	5 GHz : 22 dBm 2.4 GHz : 22 dBm
<b>Max. BSSIDs</b>	8 per Radio
<b>Supported Data Rates</b>	802.11ac (WiFi 5) : 6.5 Mbps to 1.3 Gbps (MCS0 - MCS9 NSS1/2/3, VHT 20/40/80) 802.11n : 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40)
<b>Dimensions (W x D x H)</b>	196.7 x 35 mm
<b>Max. Power Consumption</b>	9W
<b>Supported Voltage Range</b>	44—57V DC
<b>Includes PoE Adapter</b>	Yes
<b>Networking Interface</b>	(2) GbE RJ45 port
<b>Management</b>	Ethernet
<b>Channel Bandwidth</b>	HT 20/40, VHT 20/40/80 (MHz)
<b>Certifications</b>	CE, FCC, IC
<b>Operating Frequency</b>	Worldwide: 2400 - 2483.5 MHz 5150 - 5725 MHz
<b>Ambient Operating Temperature</b>	-10 to 70 C (14 to 158 F)
<b>Ambient Operating Humidity</b>	5 to 95% noncondensing

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1323/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**

[www.citraweb.com](http://www.citraweb.com)