

# Hi-Capacity Aggregation UNIFI UBIQUITI 28-Port SFP+ 10G 4-Port SFP28 25G Switch

**Kode** : USW-Pro-Aggregation

**Brand** : Ubiquiti

**Jenis** : Switch Managed

**Harga** : Rp 16.277.000,00




USW-Pro-Aggregation UniFi 32-port Layer 3 switch with 28-port SFP+ 10G and 4-port SFP28 25G.

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 **08112039555**



\*Require UniFi Power Backup.

## Specification

<b>Model</b>	USW-Pro-Aggregation
--------------	---------------------

<b>Ports</b>	10G SFP+ : 28 25G SFP28 : 4
<b>Form Factor</b>	Rack mount (1U)
<b>Redundancy</b>	DC Power Backup
<b>Layer Type</b>	Layer 3
<b>Switching capacity</b>	760 Gbps
<b>Total Non-Blocking Throughput</b>	380 Gbps
<b>Forwarding rate</b>	565 Mpps
<b>Supported VLANs</b>	1000
<b>MAC address table</b>	32000
<b>L3 Table Size</b>	ARP Entries : 16,000 IPv4 Routes : 16,000
<b>Packet Buffer Size</b>	4 MB
<b>Dimensions (W x D x H)</b>	442 x 325 x 44 mm
<b>Max. Power Consumption</b>	100W
<b>Power Method</b>	(1) Universal input, 100—240V AC, 50/60 Hz (1) USP RPS DC input
<b>Power Input Method</b>	AC input
<b>Power Supply</b>	AC/DC, internal, 100W
<b>Supported Voltage Range</b>	100—240V AC
<b>Management</b>	Ethernet AR
<b>Heat Dissipation (Excluding PoE Output)</b>	341.2 BTU/hr
<b>Enclosure Material</b>	SGCC steel
<b>Supported Rack Depth</b>	400~1200 mm (15.7-47.2")
<b>LCM Display</b>	1.3" touchscreen
<b>Ambient Operating Temperature</b>	-5 to 40 C (23 to 104 F)
<b>ESD/EMP Protection</b>	Air: ± 16kV, contact: ± 12kV
<b>Ambient Operating Humidity</b>	10 to 90% noncondensing
<b>Certifications</b>	CE, FCC, IC

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1342/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**

[www.citraweb.com](http://www.citraweb.com)