

TRB142 TELTONIKA INDUSTRIAL RUGGED LTE RS232 GATEWAY



Kode : TRB142

Brand : Teltonika

Jenis : Router LTE

Harga : Rp 2.383.000,00



TRB142 is an ultra-small, lightweight, and energy-efficient IoT gateway equipped with mission-critical LTE connectivity. TRB142 comes with a widely used RS232 interface for remote management of industrial devices.

Penawaran Harga Spesial

 08112039555

Features :

- 4G/LTE (Cat 1), 3G, 2G
- Small and rugged aluminum housing for easy installation
- Equipped with RS232 for industrial serial communication
- Compatible with industrial DNP3 & Modbus communication protocols



Specification

| | |
|----------------------------------|---|
| Model | TRB142 |
| HARDWARE | |
| Mobile module | 4G/LTE (Cat 1), 3G, 2G |
| CPU | Qualcomm, ARM Cortex A7, 1.2 GHz |
| Storage | 512 MB Flash (200 MB for userspace) |
| Memory | 128 MB RAM (50 MB for userspace) |
| Powering option | 4-pin power socket, 9-30 VDC |
| SIM | 1 x Internal SIM holder (2FF) |
| Antenna connectors | 1 x SMA for mobile |
| Inputs/Outputs | On 4-pin socket: 2 x Digital input/Digital open collector output (configurable) |
| Serial | 1 x RS232 |
| Other | 1 x Virtual network interface via micro USB |
| Status LEDs | 3 x Connection type, 5 x Signal strength, 1 x Power |
| Operating temperature | -40° C to 75° C |
| Housing | Aluminium housing with DIN rail mounting option |
| Dimensions (W x H x D) | 74.5 x 25 x 64.4 mm |
| SOFTWARE | |
| Operating system | RutOS |
| Network protocols | TCP, UDP, IPv4, IPv6, ICMP, NTP, DNS, HTTP, HTTPS, FTP, SMTP, SSLv3, TLS 1.3, ARP, PPP, PPPoE, DHCP, Telnet |
| Monitoring and Management | WEB UI, CLI, SSH, CALL, SMS, TR-069, SNMP, JSON-RPC, MQTT, MODBUS, RMS |
| Connection monitoring | Ping Reboot, Wget reboot, Periodic Reboot, LCP and ICMP for link inspection |
| Cloud solutions | RMS, FOTA, Azure IoT Hub, Cloud of Things, Cumulocity, ThingWorx |
| Modbus | TCP client, TCP server, RTU server, RTU gateway, Modbus over MQTT |
| Serial | Console, Over IP, Modem, NTRIP, Modbus |

Standard Package Contains :

- TRB142
- 9 W PSU
- 1x Mobile antenna (magnetic mount, SMA male, 3 m cable)

- Micro-USB cable (0.8 m)
- 1x hex key
- QSG (Quick Start Guide)
- Packaging box

[Download Datasheet](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/1464/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com